A Paper on blockchain-based "NextGenVote: Ensuring Integrity in Elections."

Suhani Kelapure[1], Vaishanavi Gujjalwar[1], Nidhi Jaiswal[1], Bhavika Shah[1], Avantika Wadaskar[2]

Student, Computer Engineering, CCOEW, Nagpur, India [1]
Assistant Professor, Computer Engineering, CCOEW, Nagpur, India [2]

Abstract: This article investigates creating and deploying a decentralized electronic voting system using blockchain technology, specifically designed for a collegiate election environment, in light of growing concerns about the security, transparency, and integrity of electoral processes. Whether paper-based or computerized, traditional voting methods frequently encounter problems like voter fraud, vote manipulation, a lack of transparency, and ineffective vote counting. Our suggested approach takes advantage of the intrinsic qualities of blockchain, such as immutability, decentralization, and cryptographic security, to solve these problems and guarantee a reliable and strong voting process. The system's architecture is made to ensure that every vote is anonymously cast and safely recorded on a distributed ledger accessible to authorized parties. Election procedures are automated through the use of smart contracts, which guarantee that votes cast are unchangeable once they are cast and cannot be removed. Because every voter may independently verify the results of the whole voting process, this improves the election's transparency and credibility. In order to guarantee that only qualified voters may take part in the election, the project also places a strong emphasis on secure user authentication and registration. Administrators can streamline the election administration process by using the system's user-friendly interface for managing candidates and elections. Election results can be accessed instantly and transparently thanks to the system's integration of real-time vote counting and result distribution. The voting records are resistant to tampering and are available for post-election audits thanks to the decentralized structure of the blockchain, which improves the electoral process' overall integrity. This e-voting system is put through a thorough testing process in a collegiate setting, where several election situations are simulated to assess its security, scalability, and performance. The outcomes show that the blockchain-based electronic voting system is a workable option for institutional elections, providing notable gains over conventional voting techniques in terms of efficiency, security, and transparency. This project advances the conversation about the potential uses of blockchain technology in important societal roles and paves the way for the widespread deployment of safe, open, and effective electronic voting platforms in a range of settings.

Keywords: electronic voting, e-voting, blockchain, cryptographic security, verifiable voting

INTRODUCTION:

The smooth operation of democratic institutions depends on the integrity of electoral processes, yet problems including fraud, voter coercion, results manipulation, and inefficiencies in the vote-counting process sometimes pose a threat to these systems. The introduction of digital voting methods in recent years has attempted to alleviate some of these issues, but it has also resulted in the introduction of additional cybersecurity and vote record centralization risks. Consequently, there is an increasing demand for novel approaches that can improve voting systems' security, transparency, and dependability. As we see any sci-fi movie like iron man, star wars, terminator etc. Which vary in completely equipped super hero's to the world destroying super robots .Even if anyone has seen missile or space shuttle launching, automatically driven cars, or simple robots which help in household chores to hard power full muscle works, which are very great

examples of human intelligence. No doubt that artificial intelligence and machine learning are the two hottest buzzword all over the world right now, and often seem to be used interchangeably. Blockchain technology has shown

itself to be a viable remedy for these issues. Blockchain technology can offer a tamper-resistant platform for recording and confirming votes by utilizing its decentralized and irreversible features. This ensures that every vote is precisely counted and that the election process remains honest. Without jeopardizing voter confidentiality, distributed ledger technology powered by blockchain allows all parties involved in the election process to confirm that votes have been cast and recorded accurately.

This study examines the planning and execution of an electronic voting system based on blockchain that was created especially for a college election. By utilizing blockchain technology to secure the electoral process, the system seeks to offer a transparent, safe, and effective substitute for conventional voting procedures. The voting process is further automated by the use of smart contracts in the blockchain, which also guarantees that election laws are followed and that results are produced in a transparent and timely manner. The suggested solution prioritizes user accessibility in addition to security and transparency, making sure that the platform is simple to use and intuitive for both election administrators and voters. The solution aims to provide secure electronic voting at the institutional level through the integration of blockchain technology and an intuitive interface. This could lead to a wider acceptance of the technology in other contexts.

This paper's subsequent sections cover the system design, important parts, and the process of implementation—including testing and deployment in a collegiate setting. We also examine the possible effects of implementing blockchain-based electronic voting systems on a broader scale, taking into account the advantages and disadvantages of this change. With a particular focus on the use of blockchain technology in this crucial area, this paper adds to the larger conversation on how technological innovation may improve the security and transparency of voting systems. We hope to show that blockchain-based electronic voting systems are a practical and safe answer to today's election problems through our investigation.

LITERATURE REVIEW:

Continuous attempts have been made to improve the security, transparency, and effectiveness of the electoral process throughout the advancement of electronic voting systems. Even though they are well-known and frequently used, traditional voting procedures have encountered several difficulties, such as fraud vulnerabilities, human error risks, and logistical inefficiencies. Some of these problems have been attempted to be addressed by the switch to electronic voting (e-voting); nevertheless, new difficulties have surfaced, mainly with regard to the security and centralization of these systems.

Electronic Voting Systems: Challenges and Limitations

There are several different types of electronic voting systems in use, from straightforward direct-recording electronic (DRE) machines to intricate networked systems. Numerous benefits come with these technologies, such as expedited vote tallying, lessened administrative workloads, and enhanced voter accessibility. They are, nevertheless, also vulnerable to several security risks, including malware, hacking, and illegal access to centralized databases. Because of this, questions have been raised concerning the reliability and integrity of computerized voting, particularly in settings where politics are involved.

To address these issues, scientists have looked into a number of ways to make electronic voting systems more safe. Voter-verified paper audit trails (VVPAT) and end-to-end (E2E) encryption are two examples of cryptographic solutions that have been suggested to improve security and offer verifiable voting records. Even with these developments, Concerns have been raised concerning the ability of centralized electronic voting systems to guarantee a completely transparent and impenetrable democratic process because they are still susceptible to single points of failure.

To address these issues, scientists have looked into a number of ways to make electronic voting systems more safe. Voter-verified paper audit trails (VVPAT) and end-to-end (E2E) encryption are two examples of cryptographic solutions that have been suggested to improve security and offer verifiable voting records. Notwithstanding these developments, centralized electronic voting systems are nonetheless susceptible to single points of failure, which raises questions regarding their capacity to guarantee an electoral process that is both genuinely transparent and impervious to tampering.

Blockchain Technology: A Decentralized Solution

Blockchain technology has drawn a lot of attention since it has the potential to completely transform a variety of industries, including voting systems. It was first introduced as the foundation for cryptocurrencies like Bitcoin. Blockchain's decentralization, immutability, transparency, and security make it a viable answer to the problems that traditional and electronic voting systems are facing. Every vote cast in a blockchain-based voting system is documented as a transaction on a distributed ledger that is duplicated among all of the nodes in the network. Because of this decentralization, there is no chance of a single point of failure and the voting process is not controlled by one party. Votes cannot be removed or changed after they are recorded due to the immutability of blockchain, which offers a strong defense against manipulation. Furthermore, voter privacy can be guaranteed through the use of cryptographic techniques, and blockchain's openness enables all parties to confirm the validity of the voting process. A number of research have looked into using blockchain technology for electronic voting. To automate and enforce election laws, for example, researchers have developed a number of blockchain-based voting systems that incorporate smart contracts. Generally speaking, these frameworks are designed to offer a transparent and safe voting environment where votes are cast, tracked, and tallied in a decentralized way. Election results are created in real-time and precisely represent the votes cast thanks to the usage of smart contracts.[1]

Case Studies and Practical Implementations

Voting systems based on blockchain have been implemented in a number of real-world contexts. As one of the first examples of blockchain technology being utilized in a government election, the Swiss city of Zug ran an electronic voting trial in 2018. This trial showed that employing blockchain technology for safe and transparent voting is feasible, but it also brought to light issues with voter turnout and scalability.

The use of blockchain-based voting in West Virginia, USA, during the 2018 midterm elections is another noteworthy example. To protect votes cast by military members stationed overseas, the state tested a mobile voting tool that utilized blockchain technology. This pilot program's success demonstrated how blockchain technology may improve voting's security and accessibility, especially for marginalized or rural groups. These case studies highlight the growing interest in and practicality of blockchain-based voting systems, as do many other research endeavors. However, they also draw attention to several issues that need to be resolved before such systems are extensively used, such as scalability, user accessibility, and regulatory approval.

Gaps in the Current Research

Even though the body of knowledge about blockchain-based voting systems is growing quickly, there are still certain gaps. Scalability of blockchain networks is a major issue, especially when it comes to big-time elections. The transaction throughput constraints of current blockchain platforms, such Ethereum and Bitcoin, may make it more difficult for them to manage the large number of votes cast in national elections. Concerns exist regarding blockchain-based voting systems' accessibility and user experience as well. Although blockchain provides increased security and transparency, non-technical consumers may find the technology too difficult. For such systems to be widely adopted, it is imperative that they be easy to use and available to all voters. Comprehensive legal and regulatory structures that handle the particular difficulties presented by blockchain-based voting are also required. To guarantee that blockchain-based voting systems are morally and legally sound, factors including voter privacy, the legal standing of blockchain records, and the cross-jurisdictional character of blockchain networks must be carefully taken into account.[2]

METHODOLOGY:

1. Person Authentication and Registration

Objective: Built-in secure user authentication and registration.The first section integrates a blockchain-based e-voting system, which involves setting up a robust and secure user authentication and registration process. Since voting systems should ensure that only eligible voters participate, a multi-step authentication system is employed. Users log in with their institutional G-Suite identification, ensuring that only authenticated and verified participants are involved in the election process. To further enhance security, users are required to set a secure password. Additionally, biometric verification, such as face detection, is implemented to prevent fraudulent registrations and identity theft.

Once a person’s identity has been authenticated, the system generates a unique secret paraphrase for each voter. This paraphrase acts as an extra security layer when logging in to vote, protecting against unauthorized access even if user credentials are compromised. By incorporating these multiple layers of verification, the system ensures that only eligible, verified users can access the voting system, preventing unauthorized voting attempts and enhancing the security of the entire voting process.

2. Election and Candidate Management

Objective: Manage elections and candidates.

The second phase of the methodology focuses on the backend management of elections and candidates. This module is critical as it defines the structure and parameters of each election. Election administrators are responsible for setting election schedules, which include the election start and stop dates, and defining who is eligible to vote (e.g., based on department, position, or location). The configuration options ensure that elections are customized according to specific institutional or organizational needs.

In addition to configuring the election, administrators can manage candidate information, allowing them to add or remove candidates as necessary. Each candidate's name, designation, and any relevant background information are securely stored in the system. The system also supports updating and editing candidate information up until the election starts, allowing flexibility in handling any last-minute changes. This phase also includes verifying the eligibility of candidates and ensuring the exclusion of invalid or unauthorized entries, thus ensuring that the election is properly organized and compliant with its requirements.

3. Voting Process

Objective: Enforce the voting mechanism.

This module addresses the core functionality of the system: allowing citizens to cast their votes securely. After registration, users are required to log in to the voting system using their G-Suite ID and password. To prevent unauthorized access, the system requests the unique secret paraphrase that was generated during registration. The paraphrase serves as an added level of authentication, and the system checks its validity before allowing the voter to proceed. If the paraphrase is incorrect, the session is terminated immediately to prevent security breaches. Once authenticated, the voter can access the voting interface, which displays the list of candidates. The interface is designed to be simple and intuitive, ensuring a smooth experience for all users, even those who may not be tech-savvy. Each voter can cast a single vote for their chosen candidate, and the system prevents duplicate voting by recording each vote as a transaction. The process ensures that the voting procedure is seamless, and each vote cast is securely transmitted to the next phase, where blockchain technology is integrated to handle vote storage.

4. Blockchain Integration

Objective: Use blockchain for recording and verifying votes.

One of the key components of the system is using blockchain technology to secure and validate votes. Once a vote is cast, it is treated as a transaction. These transactions are then securely mined into blocks and added to a blockchain. The decentralized nature of blockchain technology means that no single entity has control over the entire system, mitigating the risk of tampering, fraud, or vote manipulation.

Each vote, once added to the blockchain, is immutable—meaning that once it has been recorded, it cannot be altered or deleted. This provides a high level of security and transparency, as the blockchain ledger is publicly verifiable. The entire process, from casting a vote to validating it in the blockchain, is transparent and can be audited by third parties, ensuring full trust in the election results. Furthermore, the blockchain's decentralized consensus mechanism provides another layer of security, ensuring that even in the event of a cyberattack, the system remains secure and operational.

5. Results and Verification

Objective: Display election results and provide tools for audit and verification.

Once the voting period has concluded, the system moves to the results and verification phase. The blockchain, now containing all the votes as transactions, is used to calculate and display the election results. The immutability and transparency of the blockchain ensure that the results provided are accurate and untampered. The system automatically counts the votes by verifying the transactions stored in the blockchain, ensuring complete accuracy in the final tally.

This module also includes tools for auditors and election monitors to review the voting process. Since blockchain is a decentralized ledger, any authorized individual can evaluate the recorded transactions to ensure that the process was conducted fairly and without interference. This capability to audit and verify each vote within the system offers unparalleled transparency, making it nearly impossible for election fraud or manipulation to occur. The process helps build trust in the election results by making both the results and the underlying voting transactions publicly verifiable and auditable.

6. Testing and Deployment

Objective: Test the system and deploy it to a production environment.

Before deploying the system for live elections, extensive testing is carried out to ensure that it operates securely and efficiently. Testing includes unit tests, where individual components (such as the authentication system or blockchain integration) are tested in isolation, and integration tests, where all components are tested together to ensure they function as expected when combined. Special attention is given to security testing, where attempts are made to exploit vulnerabilities in the system to ensure that no weaknesses exist.

Additionally, the system undergoes stress testing, where it is subjected to high loads to simulate a real-time voting scenario. This ensures that the system can handle the high volume of users and transactions that may occur during a live election. Any performance bottlenecks or security vulnerabilities identified during testing are resolved before deployment.

Once testing is complete, the system is deployed into a secure production environment. During deployment, the system is monitored for any performance or security issues, and immediate corrective actions are taken if any problems arise. Post-deployment, the system is maintained and monitored throughout the election period to ensure smooth operation, with support teams on standby to handle any unexpected issues.



Fig 1

In order to expand the blockchain-based voting system from collegiate elections to national or even global contexts, substantial architectural improvements must be incorporated to manage increased transaction volumes and guarantee robust performance. The implementation of Layer 2 scaling solutions, such as Optimistic Rollups and zk-Rollups, will facilitate off-chain computation while preserving on-chain integrity; this, in turn, alleviates congestion and decreases latency. Furthermore, cross-chain interoperability protocols, like Polkadot or Cosmos, can enable seamless communication among disparate blockchain networks, enhancing the system's flexibility and fault tolerance. To further enhance throughput, sharding techniques will divide the blockchain into smaller segments that process transactions in parallel, thus distributing the computational load and improving scalability. However, this approach can significantly boost the performance of the voting system during large-scale national elections.

Additionally, decentralized identity (DID) frameworks can be utilized to authenticate voters across various jurisdictions, although they do so while maintaining voter privacy through zero-knowledge proofs. In spite of these advancements, challenges remain, such as compliance with regional regulations, data sovereignty and potential vulnerabilities that arise from complex multi-chain environments (these issues must be addressed). Continuous security audits, penetration testing and rigorous consensus mechanism validation are imperative to fortify the system against potential cyber threats. Leveraging governance frameworks and decentralized autonomous organizations (DAOs) can aid in maintaining protocol integrity; however, it is crucial that future updates reflect the collective interests of stakeholders involved in the electoral process, because this ensures a more democratic system. Although there are obstacles, proactive measures can mitigate risks effectively, but attention to detail is essential in this rapidly evolving landscape.

RESULTS AND DISCUSSION:

Blockchain-based electronic voting system has been successfully implemented and implemented as a way to ensure the security, transparency and efficiency of the entire process. Starting with User authentication and registration, the system includes several layers of security including the organization's G-Suite ID, password and biometric verification to ensure only voters can participate. The Election and Candidate Management program provides administrators with an easy way to set up and manage elections and candidates, ensuring only the right people are listed. Vote through a user-friendly interface. These votes are securely stored using "blockchain technology", making each vote unalterable. Blockchain integration ensures that all voting is unproven, transparent and protects against all forms of voter fraud. The system provides an instant audit tool that allows auditors to check the accuracy of the vote, ensuring that the results are reliable and transparent. The final results showed no difference, confirming the success of the vote in making the election process safe, transparent and free. Voters vote while managing what is best. Afterwards, the system was installed at the address without any major problems. Overall, the blockchain-based electronic voting system meets all the main objectives, providing a secure and transparent voting solution.



Fig 2



Fig 3

1. **Secure Voting:-** Implement a tamper-proof voting system that protects the sanctity of each vote.
2. **Transparent Processes:-** Ensure complete transparency in the entire electoral process, from voter registration to vote counting.
3. **Improved Accessibility**:- Provide a user-friendly platform tha enables seamless participation in elections for all eligible voters.
4. **Increased Voter Engagement:-** Foster a sense of trust and empowerment among the student community, leading to higher voter turnout.

CONCLUSION:

Investigating the use of blockchain technology as the basis for electronic voting systems is a viable way to improve the security, integrity, and transparency of election procedures. We have looked at the drawbacks of both electronic and traditional voting methods throughout this examination, as they are frequently prone to security flaws, risks of centralization, and a lack of transparency. Blockchain offers a strong substitute that allays many of these worries due to its decentralized, immutable, and transparent structure. The body of research indicates that blockchain-based voting solutions are gaining popularity, and a number of case studies and pilot projects have demonstrated how this technology may be applied to actual elections. These applications have demonstrated how blockchain technology can greatly increase voting systems' dependability and security by guaranteeing that every vote is precisely recorded and verifiable. These studies also highlight important obstacles that need to be addressed, notably those related to scalability, user accessibility, and the requirement for regulatory and legal frameworks that are supportive. Our analysis of the literature and real-world applications highlights how crucial it is that this discipline continues to be innovative and tested. As an illustration of how blockchain might be used in a regulated, institutional setting, the article discusses the development of a blockchain-based electronic voting system for college elections, which adds to the continuing endeavor. Future attempts to expand blockchain-based voting systems to bigger, more complicated elections may be guided by the knowledge acquired from this initiative.

In conclusion, even though blockchain technology has a lot of potential to change how elections are conducted, further study and development are needed to solve the remaining issues. This entails creating thorough legal and regulatory frameworks, guaranteeing user-friendly interfaces, and enhancing the scalability of blockchain networks. Blockchain-based electronic voting systems could become a practical and widely used option once these problems are resolved, providing a safe, transparent, and effective substitute for conventional voting techniques.

REFERENCES:

[1] Voting Technology. Available online: https://electionlab.mit.edu/research/voting-technology

[2] Akbari, E.; Wu, Q.; Zhao, W.; Arabnia, H.R.; Yang, M.Q. From blockchain to internet-based voting. In Proceedings of the 2017 International Conference on Computational Science and Computational Intelligence (CSCI), Las Vegas, NV, USA, 14–16 December 2017; IEEE: Piscataway, NJ, USA, 2017; pp. 218–221

[3] Vignesh B., Sricharan P. P., Shankrith Chokkalingam S., Bhuvana J., and Bharathi B., A. Sivasubramanian, P. N. Shastry, and P. C. Hong, E-biometric voting machine, Futuristic Communication and Network Technologies. VICFCNT 2020, 2022, 792, Springer, Singapore, 505–516, Lecture Notes in ElectricalEngineering, https://doi.org/10.1007/978-981-16-4625-6_50.

[4] Vladucu M.-V., Dong Z., Medina J., and Rojas-Cessa R., E-voting meets blockchain: a survey, *IEEE Access*. (2023) **11**, 23293-23308, **https://doi.org/10.1109/ACCESS.2023.3253682**.

[5] Elgamal T., A public key cryptosystem and a signature scheme based on discrete logarithms, IEEE Transactions on Information Theory. (1985) 31, no. 4, 469–472, https://doi.org/10.1109/TIT.1985.1057074

[6] Srivastava G., Dwivedi A. D., and Singh R., Crypto-democracy: a decentralized voting scheme using blockchain technology, Proceedings of the 15th International Joint Conference on e-Business and Telecommunications. (2018) 2, 508–513, https://doi.org/10.5220/0006881906740679

[7] J. Bonneau, A. Narayanan, A. Miller, J. Clark, J. A. Kroll and E. W. Felten, "Mixcoin: Anonymity for bitcoin with accountable mixes", Proceedings of International Conference on Financial Cryptography and Data Security, pp. 486-504, 2014.

[8] Devi, U.; Bansal, S. Secure e-Voting System—A Review. In Proceedings of the Hybrid Intelligent Systems, Olten, Switzerland; Porto, Portugal; Vilnius, Lithuania; Kochi, India, 12–14 December 2023; Springer Nature: Cham, Switzerland, 2023; pp. 1209–1224.

[9] Kumar, M.; Katti, C.P.; Saxena, P.C. A secure anonymous e-voting system using identity-based blind signature scheme. In Proceedings of the 13th International Conference, ICISS 2017, Mumbai, India, 16–20 December 2017; Springer International Publishing: Cham, Switzerland, 2017.

[10] Vivek, S.K.; Yashank, R.S.; Prashanth, Y.; Yashas, N.; Namratha, M. E-Voting Systems using Blockchain: An Exploratory Literature Survey. In Proceedings of the 2020 Second International Conference on Inventive Research in Computing Applications (ICIRCA), Coimbatore, India, 15–17 July 2020; IEEE: Piscataway, NJ, USA, 2020; pp. 890–895.